

Product Code: 883F
Product Name: INJECTABLE SAFE STRIP

GEMINI INDUSTRIES, INC., 2300 HOLLOWAY DRIVE, EL RENO, OK 73036
24-Hour Emergency (Spill, Leak, Exposure or Accident): INFOTRAC 800-535-5053 Outside USA, Call Collect 1-352-323-3500
24-Hour Emergency HAZMAT Response and MSDS help: EMI 800-510-8510

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

(SEE TOP OF PAGE)

2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT/EXPOSURE LIMITS	CAS#

3. HAZARDS IDENTIFICATION

Vapor causes eye burns and skin irritation.

POTENTIAL HEALTH EFFECTS

SKIN:

Skin contact can cause redness, dryness or rash. Prolonged contact can cause irritation, dry skin, cracks and dermatitis.

INGESTION:

Ingestion may cause vomiting, nausea, diarrhea and gastrointestinal irritation.

INHALATION:

Breathing of high vapor concentrations may produce narcosis. Eye contact can cause irritation, redness, tearing and blurred vision. Skin contact can cause redness, dryness or rash. Prolonged contact can cause irritation, dry skin, cracks and dermatitis. Ingestion may cause vomiting, nausea, diarrhea and gastrointestinal irritation. Vapor harmful. May affect the brain or nervous system causing dizziness, headache or nausea. Causes eye, skin, nose and throat irritation. May be harmful if absorbed through the skin. Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

4. FIRST AID MEASURES

EYES:

Direct contact may cause eye irritation. Flush immediately with water for 15 minutes and get medical attention.

SKIN:

Irritating to the skin on repeated or prolonged contact. Wash thoroughly with soap and water while removing contaminated clothing and shoes.

INGESTION:

Can cause gastrointestinal irritation. DO NOT induce vomiting. Contact physician or your local poison control center immediately.

INHALATION:

Move person to fresh air. Vapor or mist can cause headache, nausea and irritation of the nose, throat and lungs in poorly ventilated areas.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASSIFICATION: CLASS A COMBUSTIBLE

LOWEST FLASH POINT: n/a

METHOD: n/a

FLAMMABLE LIMITS:

LOWER FLAMMABLE LIMIT: n/a

UPPER FLAMMABLE LIMIT: n/a

Product Code: 883F
Product Name: INJECTABLE SAFE STRIP

GEMINI INDUSTRIES, INC., 2300 HOLLOWAY DRIVE, EL RENO, OK 73036
24-Hour Emergency (Spill, Leak, Exposure or Accident): INFOTRAC 800-535-5053 Outside USA, Call Collect 1-352-323-3500
24-Hour Emergency HAZMAT Response and MSDS help: EMI 800-510-8510

EXTINGUISHING MEDIA: Alcohol Foam, CO2, Dry Chemical.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Closed containers exposed to extreme heat may rupture due pressure buildup. Product will not burn, but may spatter if temperature exceeds boiling point of product. Dried finish can burn, giving off oxides of carbon.

FIREFIGHTING INSTRUCTIONS:

None known. However, fire fighters should wear self-contained breathing apparatus to avoid inhalation if material is involved in a general fire.

6. ACCIDENTAL RELEASE MEASURES

Dike spill area and add absorbent earth, sand or sawdust to spilled liquid. Keep out of sewers.

Collect absorbent/spilled liquid into metal containers. Dispose of in accordance with local, state and federal regulations. DO NOT incinerate closed containers. Incinerate in approved facilities.

Keep containers tightly closed when not in use. Store in cool, well ventilated areas away from heat and out of direct sunlight. KEEP FROM FREEZING! Wash thoroughly after handling.

Other Precautions: DO NOT TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN. Avoid prolonged or repeated contact with skin. Use with adequate ventilation. Wash hands after using and before smoking or eating. Follow all hazard precautions given in this data sheet until container is thoroughly cleaned and destroyed.

7. HANDLING AND STORAGE

HANDLING:

Bond and ground metal containers when transferring liquid. Avoid free fall of liquid in excess of a few inches. Personnel should avoid inhalation of vapors. Personal contact with the product should be avoided. Should contact be made, remove saturated clothing and flush affected skin areas with water. Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid and/or solid), all hazard precautions given in this sheet must be observed.

** KEEP TEMPERATURE ABOVE 32 DEGREES F

STORAGE:

Keep product containers dry and away from sources of ignition. Use and store this product with adequate ventilation. DO NOT SMOKE in or near storage areas.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION:

PRIMARY ROUTES OF ENTRY: inhalation, skin contact, eyes, ingestion.

Provide general clean air dilution or local exhaust ventilation in volume and pattern to keep the air contaminant concentraion below applicable exposure limits. Refer to OSHA Standard 29CFR1910.94.

SKIN PROTECTION:

Polyethylene handling gloves for skin protection. Must be impervious to water and soap.

EYE PROTECTION:

Wear splashproof goggles and face shield if there is a likelihood of contact with eyes. Provide eyewash station and emergency shower. Use of protective creams, head cpas, etc. is recommended. Avoid contact with contaminated clothing. Wash contaminated clothing, including shoes before reuse.

Product Code: 883F
Product Name: INJECTABLE SAFE STRIP

GEMINI INDUSTRIES, INC., 2300 HOLLOWAY DRIVE, EL RENO, OK 73036
24-Hour Emergency (Spill, Leak, Exposure or Accident): INFOTRAC 800-535-5053 Outside USA, Call Collect 1-352-323-3500
24-Hour Emergency HAZMAT Response and MSDS help: EMI 800-510-8510

HYGIENIC PRACTICES:

Wash hands thoroughly before eating or using restroom. Do not smoke around open containers or while vapor levels are high. Do not breathe vapors or spray mist. Wear an appropriate, properly fitted respirator (NIOSH/MSHA approved) during the use of this product until vapor or mists levels are below applicable exposure limits. Observe OSHA standard 29CFR1910.134.

9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: n/a
MELTING POINT: N/A
VAPOR PRESSURE: N/A
VAPOR DENSITY: Heavier Than Air
SOLUBILITY IN WATER: N/A
SPECIFIC GRAVITY: 1.15
COATING VOC LB/GL: 1.2481 lb/gl
COATING VOC GM/LTR: 150 g/l
MATERIAL VOC LB/GL: 0.0926 lb/gl
MATERIAL VOC GM/LTR: 11 g/l
% VOLATILE BY VOLUME: 92.996%
EVAPORATION RATE: Faster than Butyl Acetate.
WEIGHT PER GALLON: 9.574 lb/gl
PH: N/A
ODOR: N/A
APPEARANCE: Liquid

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY:
Stable Conditions to Avoid: excessive heat, poor ventilation, excessive aging.

INCOMPATIBILITY

Materials to Avoid: None known.

HAZARDOUS DECOMPOSITION PRODUCTS:

Thermal decomposition or combustion can produce fumes of carbon dioxide and carbon monoxide.

HAZARDOUS POLYMERIZATION:

Will not occur.

11. TOXICOLOGICAL INFORMATION**CANCER INFORMATION:**

This product contains no reported carcinogens or suspected carcinogens.

TERATOLOGY (BIRTH DEFECT) INFORMATION:

This product contains no reported or suspected teratogens.

REPRODUCTION INFORMATION:

This product contains no reported or suspected mutagens.

12. ECOLOGICAL INFORMATION**ECOLOGICAL INFORMATION:**

Uncontrolled release of the product may result in contamination of air, ground, waterways and/or sewers.

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with local, state and federal regulations.

14. TRANSPORT INFORMATION

DOT NUMBER: N/A

15. REGULATORY INFORMATION

HMIS HAZARD INDEX: 4=SEVERE, 3=SERIOUS, 2=MODERATE, 1=SLIGHT, 0=LEAST
HEALTH: 1
FLAMMABILITY: 0

Product Code: 883F
Product Name: INJECTABLE SAFE STRIP

GEMINI INDUSTRIES, INC., 2300 HOLLOWAY DRIVE, EL RENO, OK 73036
24-Hour Emergency (Spill, Leak, Exposure or Accident): INFOTRAC 800-535-5053 Outside USA, Call Collect 1-352-323-3500
24-Hour Emergency HAZMAT Response and MSDS help: EMI 800-510-8510

REACTIVITY: 0

PERSONAL PROTECTION: B

SECTION 313:

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372 (Chemicals listed below constitute the specific percentage of product by weight. Chemicals that do not have a listed percentage comprise less than 1% of total product weight):

% BY WT

16. DISCLAIMER:

The following supercedes any provision contained in the forms, letters and papers of your company. This product is designed and intended for professional application only. All products should be thoroughly tested under application conditions prior to use. The information contained herein is believed to be reliable. HOWEVER, GEMINI MAKES NO WARRANTY CONCERNING THIS PRODUCT, WHETHER EXPRESS OR IMPLIED. INCLUDING THE WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

UNDER NO CIRCUMSTANCES SHALL GEMINI BE LIABLE FOR SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR ANY OTHER DAMAGES FROM ALLEGED NEGLIGENCE, BREACH OF WARRANTY, STRICT LIABILITY, OR ANY OTHER LEGAL THEORY, ARISING OUT OF THE USE OR HANDLING OF THIS PRODUCT. THE SOLE REMEDY OF THE BUYER AND THE SOLE LIABILITY OF GEMINI FOR ANY CLAIMS SHALL BE LIMITED TO THE BUYER'S PURCHASE PRICE OF THE PRODUCT WHICH IS THE SUBJECT OF THE CLAIM OR THE AMOUNT ACTUALLY PAID FOR SUCH PRODUCT, WHICHEVER IS LESS.

TECHNICAL ADVICE FURNISHED BY GEMINI SHALL NOT CONSTITUTE AN EXPRESS WARRANTY, WHICH IS EXPRESSLY DISCLAIMED. ALL TECHNICAL ADVICE GIVEN IS ACCEPTED AT THE RISK OF THE BUYER.